



1260 North Ave, Plainfield, NJ 07062

**1-888-755-7361** 

www.armorpoxy.com

# SAFETY DATA SHEET

Issue Date: 06-JULY-2022 Revision Date: 06-JULY-2022 Version: 1

1. IDENTIFICATION

**Product Identifier** 

Product Name: BallistiX Counterattack

Other Means of Identification

UN/ID No: UN1263

Recommended Use Of The Chemical And Restrictions On Use

Recommended Use: For industrial use

<u>Details Of The Supplier Of The Safety Data Sheet</u>

ArmorPoxy Inc.

1260 North Ave, Plainfield, NJ 07062

www.armorpoxy.com

**Emergency Telephone Number** 

Company Phone Number: 1-888-755-7361

Emergency Phone Number: INFOTRAC 1-352-323-2500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Physical State: Liquid

<u>Classification</u>

Flammable Liquids Category 2

Signal Word

Danger

**Hazard Statements** 

Highly Flammable Liquid and Vapor



### **Precautionary Statements - Prevention**

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Use explosion-proof equipment

Wear protective gloves/protective clothing/eye protection/face protection

### <u>Precautionary Statements - Response</u>

If ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. In case of fire: Use C02, dry chemical, or foam for extinction.

### Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool.

### <u>Precautionary Statements - Disposal</u>

Dispose of contents/container to an approved waste disposal plant.

# **Other Hazards**

Harmful to aquatic life with long lasting effects.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight %	
Dimethyl Carbonate	616-38-6	60-65	
Dioctylin Oxide	870-08-6	<1	
Methanol	67-56-1	<1	

<sup>\*\*</sup>If Chemical Name/CAS No. Is "proprietary" and/or Weight % is listed as a range, the specific chemical identify and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST AID MEASURES

### **Description of First Aid Measures:**

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a physician.

Skin Contact Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse.

**Inhalation** Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

### Most important symptoms and effects, both acute and delayed

Symptoms None known

### <u>Indication of any immediate medical attention and special treatment needed</u>

Notes to Physician Treat symptomatically

# 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Use CO2, dry chemical, or foam for extinction.

Unsuitable Extinguishing Media - Not determined.

# Specific Hazards Arising from the Chemical

Highly flammable liquid and vapor.

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment emergency procedures

Personal Precautions

Use personal protective equipment as required.

**Environmental Precautions** 

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Methods for Clean-Up

Prevent further leakage or spillage if safe to do so.

Precautions for safe handling Advice on Safe Handling Keep in suitable, closed containers for disposal.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling: Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container

tightly closed. Ground/bond container and receiving equipment. Use only outdoors or in a well-ventilated area. Use only non-sparking tools. Take precautionary measures against static discharges. Use explosion proof equipment. Wear protective gloves/protective

clothing and eye/face protection.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Store in well-ventilated place. Keep cool.

Incompatible Materials None known based on information supplied.



# **Exposure Guidelines**

NIOSH IDLH **Chemical Name ACGIH TLV** OSHA PEL Dioctylin Oxide STEL: 0.2 mg/m<sup>3</sup> Sn TWA: 0.1 mg/m<sup>3</sup> Sn (vacated) IDLH IDLH: 25 mg/m<sup>3</sup> Sn TWA: 0.1 mg/m<sup>3</sup> Sn S\* TWA: 0.1 mg/m<sup>3</sup> Sn (vacated) S\* TWA: 0.1 mg/m<sup>3</sup> except 870-08-6 Cyhexatin Sn Methanol STEL: 250 ppm TWA: 200 ppm IDLH: 6000 ppm TWA: 200 ppm S\* 67-65-1 TWA: 260 mg/m<sup>3</sup> (vacated) TWA: 200 ppm TWA: 200 ppm (vacated) TWA: 260 mg/m<sup>3</sup>

TWA: 260 mg/m³ (vacated)
STEL: 250 ppm (vacated)
STEL: 325 mg/m³ (vacated) S\*

the squeeze of a trigge!

# Appropriate engineering controls

Engineering Controls Showers. Eyewash stations. Ventilation systems.

# Individual protection measures, such as personal protective equipment

Eye/Face Protection Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection NIOSH Approved respirator.

General Hygiene Considerations: Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State: Liquid

Appearance: Water-like Odor: Not determined

Color: Clear/Pale Yellow Odor Threshold: Not determined

<u>Property</u> <u>Remarks-Method</u>

pH
Melting point / freezing point
Boiling point / boiling range
Flash point
Evaporation Rate
Flammability (Solid, Gas)

8
Not determined
Not determined
Not determined
Liquid-Not Applicable

Flammability (Solid, Gas) Flammability Limit in Air

Upper flammability or explosive limits

Lower flammability or explosive limits

Not determined

Vapor Pressure

Not determined

Not determined

Not determined

Relative Density
Water Solubility
Solubility in other solvents
Partition Coefficient

1.06
Not determined
Not determined

Partition Coefficient
Autoignition temperature
Decomposition temperature
Shell cup #1 viscosity
Dynamic Viscosity
Explosive Properties
Oxidizing Properties

Not determined
Not determined
Not determined
Not determined
Not determined
Not determined

VOC . < 150 g/L

# 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical stability

Stable under recommended storage conditions.

# Possibility of hazardous reactions

None under normal processing.

### **Conditions to Avoid**

Keep out of reach of children.

### Incompatible materials

None known based on information supplied.

# Hazardous decomposition products

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

### **Product Information**

Eye Contact Avoid contact with eyes

Skin Contact Avoid contact with skin

Inhalation Do not inhale

Ingestion Do not ingest

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Dimethyl carbonate 616-38-6	= 13 g/kg (Rat)	> 5 g/kg (Rabbit)	= 140 mg/L (Rat)4 h
PNP Glycol Ether 1569-01-3	= 2504 mg/kg (Rat) = 2490 mg/kg (Rat)	= 3550 mg/kg (Rabbit)	
DIPROPYLENE GLYCOL MONOPROPYL ETHER 29911-27-1	= 1620 µL/kg (Rat)	= 5660 μL/kg ( Rabbit )	•
Vinyltrimethoxysilane 2768-02-7	= 7340 µL/kg (Rat)	= 3360 μL/kg ( Rabbit )	•
Dioctylin oxide 870-08-6	= 2500 mg/kg (Rat)	•	
Methanol 67-56-1	= 6200 mg/kg (Rat)	= 15800 mg/kg (Rabbit) = 15840 mg/kg (Rabbit)	= 22500 ppm (Rat)8 h = 64000 ppm (Rat)4 h

### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Page 5/8



The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 11,566.00 mg/kg
Dermal LD50 7,017.10 mg/kg
Gas 40,128.40 mg/L

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

# **Component Information**

Chemical name	Algae/aquatic plants	Fish	Crustacea
1-Methoxy-2-propanol		20.8: 96 h Pimephales promelas	23300: 48 h Daphnia magna mg/L
107-98-2		g/L LC50 static 4600 - 10000: 96 h	EC50
		Leuciscus idus mg/L LC50 static	
Methanol		19500 - 20700: 96 h	
67-56-1		Oncorhynchus mykiss mg/L LC50	
		flow-through 18 - 20: 96 h	
		Oncorhynchus mykiss mL/L LC50	
		static 28200: 96 h Pimephales	
		promelas mg/L LC50 flow-	
		through 100: 96 h Pimephales	
		promelas mg/L LC50 static 13500	
		- 17600: 96 h Lepomis	
		macrochirus mg/L LC50 flow-	
		through	

# Persistence/Degradability

Not determined

### **Bioaccumulation**

There is no data for this product

### **Mobility**

Chemical name	Partition coefficient
Methanol	-0.77
67-56-1	

# Other Adverse Effects

Not determined

# 13. DISPOSAL CONSIDERATIONS

### **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local

laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local

laws and regulations.

# **US EPA Waste Number**

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methanol		Included in waste stream:		U154
67-56-1		F039		

### California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Dioctylin oxide	Toxic
870-08-6	
Methanol	Toxic
67-56-1	Ignitable

# 14. TRANSPORT INFORMATION

Note: Please see current shipping paper for most up to date shipping information, including exemptions

and special circumstances.

<u>DOT</u>

UN/ID No
Proper Shipping Name
Paint
Hazard class
Packing Group
UN1263
Paint
II

<u>IATA</u>

UN number
Proper Shipping Name
Paint
Transport hazard class(es)
Packing Group
UN1263
Paint
II

<u>IMDG</u>

UN number
Proper Shipping Name
Paint
Transport hazard class(es)
Packing Group
UN1263
Paint
II

# 15. REGULATORY INFORMATION

#### International Inventories

Chemical name	TSCA	TSCA Inventory	DSL/NDSL	EINECS/ELI	ENCS	IECSC	KECL	PICCS	AICS
		Status		NCS					
Dimethyl carbonate	X	ACTIVE	X	X	X	X	X	X	X
PNP Glycol Ether	X	ACTIVE	X	X	X	X	X	X	X
DIPROPYLENE GLYCOL MONOPROPYL ETHER	Х	ACTIVE	X	Х	X	X		Х	Х
Vinyltrimethoxysilane	Х	ACTIVE	Х	Х	Χ	X	X	Х	Х
N-propyl Trimethoxy Silane	X	ACTIVE	X	X	X	X	X	X	X
Dioctylin oxide	X	ACTIVE	X	X	X	X	X	X	X
Methanol	X	ACTIVE	X	X	X	X	Χ	X	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances



# **CERCLA**

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Methanol	5000 lb		RQ 5000 lb final RQ
67-56-1			RQ 2270 kg final RQ

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **US State Regulations**

# California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Methanol - 67-56-1	Developmental

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Dimethyl carbonate 616-38-6	X	X	X
Methanol 67-56-1	X	X	X

# 16. OTHER INFORMATION

NFPA_	<b>Health Hazards</b>	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
HMIS_	Health Hazards	Flammability	Physical hazards	Personal Protection
	Not determined	Not determined	Not determined	Not determined

Issue Date: 06-JULY-2022 Revision Date: 06-JULY-2022

**Revision Note:** 

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**