< 10

SAFETY DATA SHEET (SDS)

Section 1. Identification Product identifier | ARM707X-CM A | Other means of identification | ARM707X-CM A | Recommended use and restrictions on use | Floor Coating | Initial supplier identifier | Armorpoxy Inc. 1260 North Avenue, Plainfield, NJ 07062 info@armorpoxy.com T: 888-755-7361

Emergency telephone number/restriction on use | Chemtrec 24 hour number 800-424-9300

Section 2. Hazard identification

Classification of hazardous product (name of the category or subcategory of the hazard class)

Skin irritation (Category 2)

Sensitization – Skin (Category 1)

Eve irritation (Category 2A)

Hazardous to the aquatic environment – Acute & Chronic (Category 2)

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)



Benzyl alcohol



H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear gloves/protective clothing/eye protection/face protection. P302+P352 IF ON SKIN, Wash with plenty of water for several minutes. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P362+P364 Take off contaminated clothing and wash it before reuse. P305 + P351 + P338 IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention. P273 Avoid release to the environment. P391 Collect spillage. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other hazards known None		
Section 3. Composition/infor	mation on ingredients	
Chemical name (common name/synonyms)	CAS number or other	Concentration (%)
Reaction product: bisphenol-A-(epichlorhydrin) epoxy resin	25085-99-8	60-100
Alkyl glycidyl ether	68609-97-2	< 10

* Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) considered trade secret(s).

100-51-6

Section 4. First-aid measures		
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.	
Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.	
Skin contact	IF ON SKIN: wash with plenty of water. (15-20 minutes) IF SKIN irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.	
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (15-20). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.	
Most important symptoms and affects (agute or delayed) Causes skin irritation		

Most important symptoms and effects (acute or delayed)

Causes skin irritation.

Indication of immediate medical attention/special treatment

In all cases, call a doctor. Do not forget this document.

Section 5. Fire-fighting measures

Specific hazards of the hazardous product (hazardous combustion products)

Carbon oxides and other irritant/toxic gases and fumes.

Suitable and unsuitable extinguishing media

In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.

Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

Section 7. Handling and storage

Precautions for safe handling

Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: Dust – PEL-TWA 15 mg/m³ (total dust) & 5 mg/m³ (respirable fraction);

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

Section 9. Physical and chemical properties			
Appearance, physical state/colour Liquid	Vapour pressure Not available		
Odour Characteristic	Vapour density Not available		
Odour threshold Not available	Relative density 1.12		
pH Not available	Solubility Insoluble		
Melting/freezing point Not available	Partition coefficient - n-octanol/water Not available		
Initial boiling point/range Not available	Auto-ignition temperature Not available		
Flash point > 93°C	Decomposition temperature Not available		
Evaporation rate Not available	Viscosity Not available		
Flammability (solids and gases) Not available	VOC Not available		
Upper and lower flammability/explosive limits Not available Other None known			
Section 10. Stability and reactivity			

Reactivity

Does not react under the recommended storage and handling conditions prescribed.

Chemical stability

Stable under the recommended storage and handling conditions prescribed.

Possibility of hazardous reactions

None known

Conditions to avoid (static discharge, shock or vibration)

None known

Incompatible materials

Oxidizing materials; etc.

Hazardous decomposition products

None known

Section 11. Toxicological information Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact) Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Symptoms related to the physical, chemical and toxicological characteristics Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing; Delayed and immediate effects (chronic effects from short-term and long-term exposure) Skin Sensitization - Possible; Respiratory Sensitization - No data available; Germ Cell Mutagenicity - No data available; Carcinogenicity - No ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity - No data available; Specific Target Organ Toxicity - Single Exposure – No data available; Specific Target Organ Toxicity — Repeated Exposure – No data available; Aspiration Hazard – No data available; Health Hazards Not Otherwise Classified - No data available. Numerical measures of toxicity (ATE; LD₅₀ & LC₅₀) CAS 100-51-6 LD₅₀, Oral - Rat 1360 mg/kg; ATE not available in this document. Section 12. Ecological information No data available for the product **Ecotoxicity (aquatic and terrestrial information)** Persistence and degradability No data available **Bioaccumulative potential** No data available No data available Mobility in soil Other adverse effects Toxic to aquatic life. Toxic to aquatic life with long lasting effects. Section 13. Disposal considerations Information on safe handling for disposal/methods of disposal/contaminated packaging Dispose of contents/container into safe container in accordance with local, regional or national regulations. **Section 14. Transport information** UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations NOT REGULATED UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime) UN3082; ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epichlorhydrin); Class 9; PG III; UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air) UN3082; ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epichlorhydrin); Class 9; PG III; May also be shipped as a LIMITED QUANTITY in accordance with TDG. Special precautions (transport/conveyance) Environmental hazards (IMDG or other) MARINE POLLUTANT Bulk transport (usually more than 450 L in capacity) Possible **Section 15. Regulatory information** Safety/health Canadian regulations specifics Refer to Section 2 for the appropriate classification. This product has been classified in accordance

Safety/health/environmental outside regulations specifics

Environmental Canadian regulations specifics

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14. United States TCSA information: Refer to the ingredients listed in Section 3.

Refer to Section 3 for ingredient(s) of the DSL

with the hazard criteria of the Hazardous Products Regulations (HPR).

Section 16. Other information		
Date of the latest revision of the safety data sheet March 05, 2021 version 3 (NSS ENTREPRISE INC.)		
Corrections	Complete review	
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.	
Abbreviations		
ACGIH	American Conference of Governmental Industrial Hygienists	
ATE	Acute toxicity estimate	
CAS	Chemical Abstract Service	
DSL	Domestic Substance List	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods Code	
LC	Lethal concentration	
LD	Lethal Dosage	
NIOSH	National Institute for Occupational Safety and Health	
NTP	National Toxicology Program (U.S.A.)	
OSHA	Occupational Safety and Health Administration (U.S.A.)	
PEL	Permissible Exposure Limit	
STEL	Short-term Exposure Limit	
TDG	Transport of dangerous goods in Canada	
TLV	Threshold Limit Value	
TSCA	Toxic Substances Control Act	
TWA	Time Weighted Average	
WHMIS	Workplace Hazardous Materials Information System	

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

SAFETY DATA SHEET (SDS)

Section 1. Identification

Product identifier ARM707X-CM B

Other means of identification | ARM707X-CM B

Recommended use and restrictions on use Floor Coating

Initial supplier identifier Armorpoxy Inc.; 1260 North Avenue, Plainfield, NJ 07062 info@armorpoxy.com

T:888-755-7361

Emergency telephone number/restriction on use | Chemtrec 24 hour number 800-424-9300

Section 2. Hazard identification

Classification of hazardous product (name of the category or subcategory of the hazard class)

Acute toxicity oral (Category 4)

Skin corrosion (Category 1)

Serious eye damage (Category 1)

Skin sensitization (Category 1)

Specific target organ toxicity – Single exposure (Category 3)

Reproductive toxicity (Category 1)

Hazardous to the aquatic environment – Acute & Chronic (Category 1)

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)









Danger

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H360 May damage fertility or the unborn child.

H362 May cause harm to breast-fed children.

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects.

P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dusts or mists. P263 Avoid contact during pregnancy and while nursing. P264 Wash hands/nails/face thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P312 Call a doctor if you feel unwell. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P363 Wash contaminated clothing before reuse. P332 + P313 IF SKIN irritation or rash occurs: Get medical attention. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310 Immediately call a doctor. P308 + P313 IF exposed or concerned: Get medical attention. P391 Collect spillage. P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other hazards known None

Section 3. Composition/information on ingredients			
Chemical name (common name/synonyms)	CAS number or other	Concentration (%)	
Epoxy adduct		10-30	
Benzyl alcohol	100-51-6	< 10	
Isophorone diamine	2855-13-2	10-30	
Nonylphenol	84852-15-3	10-30	
Polyoxypropylene diamine	9046-10-0	30-60	
* Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) considered trade secret(s).			

Section 4. First-aid measures		
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.	
Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is	
	rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.	
Skin contact	IF ON SKIN: wash with plenty of water. (15-20 minutes) IF SKIN irritation or rash occurs: Get medical attention. Take off	
	contaminated clothing and wash it before reuse.	
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (15-20). Remove contact lenses, if present and easy to do. Continue	
rinsing. If eye irritation persists: Get medical attention.		
Most important	Most important symptoms and effects (acute or delayed) Causes severe skin burns and eye damage.	

Section 5. Fire-fighting measures

Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document.

Specific hazards of the hazardous product (hazardous combustion products)

Carbon oxides and other irritant/toxic gases and fumes.

Suitable and unsuitable extinguishing media

In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.

Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

Section 7. Handling and storage

Precautions for safe handling

Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: Dust – PEL-TWA 15 mg/m³ (total dust) & 5 mg/m³ (respirable fraction);

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

Section 9. Physical and c	hemical n	roperties	
Appearance, physical state/colour Liquid, clear	Vapour j		Not available
Odour Characteristic	Vapour		Not available
Odour threshold Not available	Relative		0.955
pH Not available	Solubility		vailable
Melting/freezing point Not available			nt - n-octanol/water Not available
Initial boiling point/range Not available		ition temp	
Flash point > 93°C		osition tem	
Evaporation rate Not available		Not ava	
Flammability (solids and gases) Not available	U	Not availa	
Upper and lower flammability/explosive limits Not available		None know	
Section 10. Stability			WII
Reactivity	una reac	urviej	
Does not react under the recommended storage and handling conditions preso	cribed.		
Chemical stability			
Stable under the recommended storage and handling conditions prescribed.			
Possibility of hazardous reactions			
None known			
Conditions to avoid (static discharge, shock or vibration)			
None known			
Incompatible materials			
Oxidizing materials; Acids; etc.			
Hazardous decomposition products			
None known			
Section 11. Toxicologi	cal inform	nation	
Information on the likely routes of exposure (inhalation, ingestion, skin a			
Harmful if swallowed. Causes severe skin burns and eye damage. May cause a			n May cause respiratory irritation May damage
fertility or the unborn child. May cause harm to breast-fed children.	in ancigic s	KIII ICactio	in. May cause respiratory irritation. May damage
Symptoms related to the physical, chemical and toxicological characteris	tics		
Skin burn, redness, stinging, pain; Eye burn, redness, tearing; Digestive tract		iratory trac	et hurn coughing shortness of breath dizziness
drowsiness, nausea and headaches.	ourn, reesp	matory trac	et burn, coughing, shortness of breath, dizzmess,
Delayed and immediate effects (chronic effects from short-term and long	-term exp	osure)	
Skin Sensitization – Possible; Respiratory Sensitization – No data available;			ity – No data available: Carcinogenicity – No
ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity –			
Possible; Specific Target Organ Toxicity — Repeated Exposure – No data av			
Otherwise Classified – No data available.		r	
Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀)			
	0.74 mg/l:	LD50, Derr	mal- Rabbit - 2980 mg/kg; CAS 2855-13-2 LD ₅₀ .
CAS 9046-10-0 LD ₅₀ , Oral- Rat - 2885.3 mg/kg; LC ₅₀ , Inhalation - Rat - 8h > 0.74 mg/l; LD ₅₀ , Dermal- Rabbit - 2980 mg/kg; CAS 2855-13-2 LD ₅₀ , Oral - Rat 1030 mg/kg; CAS 84852-15-3 LD ₅₀ Oral - Rat - 1246 mg/kg & LD ₅₀ Dermal - Rabbit - 2040 mg/kg; CAS 100-51-6 LD ₅₀ , Oral - Rat			
1360 mg/kg;			
ATE not available in this document.			
Section 12. Ecologic	al inform	ation	
Ecotoxicity (aquatic and terrestrial information) No data available for	the product		
Persistence and degradability No data available			
Bioaccumulative potential No data available			
Mobility in soil No data available			
Other adverse effects Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.			
Section 13. Disposal			
Information on safe handling for disposal/methods of disposal/contamina			
	Dispose of contents/container into safe container in accordance with local, regional or national regulations.		
Section 14. Transpor			
UN number; Proper shipping name; Class(es); Packing group (PG) of th			
UN3267; CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Isophorone diamine; Nonylphenol); CLASS 8; PG III			
UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)			
UN3267; CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Isophorone diamine; Nonylphenol); CLASS 8; PG III			
UN number; Proper shipping name; Class(es); Packing group (PG) of th			,, - *,
UN3267; CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Isophorone d): CLASS 8: PG III
Special precautions (transport/conveyance) May also be shipped as a LI			
Environmental hazards (IMDG or other) MARINE POLLUTANT	V	C. 1. 1. 1. 1. 1	accordance mai 150.
Bulk transport (usually more than 450 L in capacity) Possible			
Dain transport (usuany more than 450 Li in capacity) 1 0551010			

Section 15. Regulatory information		
Safety/health Canadian regulations specifics	with the hazard criteria of the Hazardous Products Regulations (HPR).	
Environmental Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL		
Safety/health/environmental outside regulations specifics		
United States OSHA information: This product is regulated according to OSHA (29 CFR).		
United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.		
United States TCSA information: Refer to the in		
	Section 16. Other information	
Date of the latest revision of the safety data sh	eet March 05, 2021 version 3 (NSS ENTREPRISE INC.)	
Corrections Complete review		
References Safety Data Sheets from manu	facturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.	
Abbreviations		
ACGIH American Conference of Gove	rnmental Industrial Hygienists	
ATE Acute toxicity estimate		
CAS Chemical Abstract Service		
DSL Domestic Substance List	Domestic Substance List	
	International Agency for Research on Cancer	
IATA International Air Transport As		
	International Maritime Dangerous Goods Code	
	Lethal concentration	
	Lethal Dosage	
NIOSH National Institute for Occupati		
	National Toxicology Program (U.S.A.)	
	Occupational Safety and Health Administration (U.S.A.)	
	Permissible Exposure Limit	
	Short-term Exposure Limit	
	Transport of dangerous goods in Canada	
	Threshold Limit Value	
	Toxic Substances Control Act	
TWA Time Weighted Average	Time Weighted Average Workplace Hazardous Materials Information System	
*	Is Information System Therein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability.	

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.